

Benton

Concentrated Disinfectant³ Cleaner

- Cleans - Virucidal* - Deodorizes - Fungicidal
- For Restaurants, Hospitals, Institutional and Industrial Use
- Cleans with oxidizing power of hydrogen peroxide
- Convenient 2-minute hospital disinfection³
- Effective against SARS-CoV-2³ the cause of COVID-19
- Provides sanitization¹⁶ in just 1 minute



KEEP OUT OF REACH OF CHILDREN DANGER

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For general information on product use, etc., call the National Pesticides Information Center at 1-800- 858-7378. You may also contact the poison control center at 1-800-222-1222 for emergency medical treatment information.

ACTIVE INGREDIENTS:

Hydrogen peroxide..... 7.6%

OTHER INGREDIENTS..... 92.4%

TOTAL.....100.00%

EPA REG. NO. 6836-516-84179 EPA EST. NO. 84179-NJ-1

Sold by: Cleanslate Group, LLC, 1515 East Linden Ave, Linden, NJ 07036

net contents:
0.5 Gallons (64 fl oz)

PRODUCT CODE: #4467

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed or if absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles or face shield), coveralls over a long-sleeved shirt and long pants, socks, chemical-resistant footwear, and rubber or chemical resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Strong oxidizing agent. Corrosive. Do not use in concentrated form. Mix only with water according to label instructions. Never bring concentrate in contact with other sanitizers, cleaners or organic substances.

AREAS OF USE:

Dental offices, Hospitals, Medical Offices, Nursing homes, Day care centers, Nurseries, Bars, Cafeterias, Convenience stores, Institutional kitchens, Restaurants, USDA inspected food processing facilities, Athletic facilities, Business and office buildings, Colleges, Correctional facilities, Dressing rooms, Exercise facilities, Factories, Hotels, Institutional facilities, Locker rooms, Motels, Public facilities, Public restrooms, Schools, Shower and bath areas, Campgrounds, Airplanes, Buses, Emergency vehicles, Taxis, Trains, Transportation terminals. Types of Surfaces: Appliances, exteriors, Bathroom fixtures, Bathtubs, Cabinets, Cages, Chairs, Conductive flooring, Countertops, Desks, Doorknobs, Sealed Floors, Garbage cans, Highchairs, Refrigerated storage and display equipment*, Shower stalls, Sinks, Tables, Telephones, Toilets, Toilet bowl surfaces, Tiles, glazed, Urinals, Walls. Other hard, non-porous surfaces made of: Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, Laminated surfaces, Metal, except copper and brass. Plastic (such as polystyrene or polypropylene), Sealed stone, Stainless steel, Upholstery-vinyl and plastic, finished woodwork.

ORGANISMS - SPRAY APPLICATION:

Disinfection for hard, non-porous surfaces – bacteria, 2-minute contact time

Pseudomonas aeruginosa, *Salmonella enterica*, *Staphylococcus aureus*, *Acinetobacter baumannii*, *Escherichia coli*, *Klebsiella aerogenes*, *Klebsiella pneumoniae*, *Methicillin Resistant Staphylococcus aureus (MRSA)*, *Streptococcus pneumoniae*

Disinfection for hard, non-porous surfaces – viruses, 1-minute contact time

*Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *HIV-1, *Influenza A virus H3N2 (Influenza), *Norovirus, *Respiratory Syncytial Virus (RSV), *Rhinovirus type 37, *Rotavirus, *SARS-Related Coronavirus 2 (SARS-CoV-2)

Disinfection for hard, non-porous surfaces – fungi, 10-minute contact time

Trichophyton interdigitale (athlete's foot fungus)

Sanitization for hard, non-porous, non-food contact surfaces – bacteria, 1-minute contact time

Klebsiella aerogenes, *Staphylococcus aureus*

Spot sanitization for soft surfaces – bacteria, 1-minute contact time

Klebsiella aerogenes, *Staphylococcus aureus*

ORGANISMS - APPLICATION BY CLOTH, MOP, SPONGE OR IMMERSION

Disinfection for hard, non-porous surfaces – bacteria, 5-minute contact time

Pseudomonas aeruginosa, *Salmonella enterica*, *Staphylococcus aureus*

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilution:

Clean/Deodorize [1:32]..... 4 fl. oz. diluted with water to 1 gallon

Disinfection [1:32] 4 fl. oz. diluted with water to 1 gallon

Virucide [1:32]4 fl. oz. diluted with water to 1 gallon

Hard, Non-Porous Surface Sanitizer [1:32] 4 fl. oz. diluted with water to 1 gallon

Soft Surface Sanitizer [1:32].....4 fl. oz. diluted with water to 1 gallon

TO CLEAN HARD, NON-POROUS SURFACES: Dilute 4 fl. oz. of Benton with water to achieve 1 gallon of solution (1/32) or equivalent dilution. Apply use solution with a cloth, disposable wipe, mop, sprayer or by immersion to wet the surfaces. Not recommended for unsealed tiles. Not recommended for use on marble, brass and copper.

RV Holding Tanks: Toilet waste: cover bottom of holding tank with water and add 4 fl. oz. If odors return before time to empty, simply add 4 fl. oz. to the tank. Kitchen waste: add 4 fl. oz. to gray water tank as needed to control malodors created by dirty dish water.

READ
ENTIRE LABEL
BEFORE USE.



Laundry: 4 fl. oz. per load added during the final rinse cycle deodorizes all offensive odors.

Carpets: 4 fl. oz. per gallon of shampoo solution eliminates odors associated with urine, vomit, smoke, and mildew. Reapply after cleaning for freshening effects. Allow to dry.

Pet Odors: Use 4 fl. oz. per gallon of water for urine, feces, and vomit, in carpet and upholstery. Clean prior to application then spray onto affected areas. Allow 2 minutes contact time. Then blot with clean cloth. Allow to dry. Also effective on pet bedding and litter boxes.

Sewage Backup, Water Damage: Use 4 fl. oz. per gallon of water. Spray over affected areas before and after cleaning and extraction. Use proper ventilation.

TO SANITIZE / DISINFECT ON HARD, NON-POROUS SURFACES AND NON-CRITICAL MEDICAL DEVICE OR MEDICAL EQUIPMENT SURFACES BY SPRAY APPLICATION: Dilute 4 fl. oz. with water to achieve 1 gallon of solution or equivalent dilution. Pre-clean surface. Using a coarse spray device and spraying 6 - 8 inches from the surface, apply enough product to visibly wet the surface. Do not breathe spray. Surface must remain visibly wet for the entire contact time.

TO SANITIZE: Allow to remain visibly wet for 1 minute.

TO DISINFECT: Allow to remain visibly wet for 2 minutes. For Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), HIV-1, Influenza A Virus H3N2, Norovirus (Feline Calicivirus), Respiratory Syncytial Virus (RSV), Rhinovirus type 37, Rotavirus, SARS-Related Coronavirus 2, Avian Influenza A Virus H7N9 and cold and flu viruses¹, allow surface to remain visibly wet for 1 minute. For Trichophyton interdigitale, allow surface to remain visibly wet for 10 minutes. Allow surface to air dry. Rinse all food contact surfaces and child / baby hard, non-porous surfaces with potable water or a damp cloth after use.

TO DISINFECT ON HARD, NON-POROUS SURFACES AND NON-CRITICAL MEDICAL DEVICE OR MEDICAL EQUIPMENT SURFACES BY CLOTH, MOP, SPONGE, SPRAYER OR BY IMMERSION: Dilute 4 fl. oz. with water to achieve 1 gallon of solution or equivalent dilution. Preclean surface. Apply use-solution with a cloth, mop, sponge, sprayer or by immersion until visibly wet. Treated surfaces must remain visibly wet for 5 minutes. For Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), HIV-1, Influenza A Virus H3N2, Norovirus (Feline Calicivirus), Respiratory Syncytial Virus (RSV), Rhinovirus type 37, Rotavirus, SARS-Related Coronavirus 2, Avian Influenza A Virus H7N9 and cold and flu viruses¹, allow surface to remain visibly wet for 1 minute. For Trichophyton interdigitale, allow surface to remain visibly wet for 10 minutes. Allow surface to air dry. Rinse all food contact surfaces and child / baby hard, non-porous surfaces with potable water or a damp cloth after use.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.

Personal Protection: Cleanup must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be visibly cleaned from surfaces and objects before application of Benton.

Contact Time: Leave surface visibly wet for 1 minute with a 4 fl. oz. per gallon use-solution.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS: Remove visible filth prior to disinfection. Add 4 oz. to the bowl and mix. Brush over exposed surfaces and under the rim; allow to remain visibly wet for 5 minutes and flush.

BACTERICIDAL STABILITY OF USE-DILUTION: When diluted, Benton remains stable for up to four weeks when stored in a sealed container such as a spray bottle. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

QUALIFIERS:

¹ Kills Respiratory Syncytial Virus [RSV], Rhinovirus type 37 and Influenza A virus H3N2 on hard, non-porous surfaces in 1 minute.

³ Kills 99.9% of Pseudomonas aeruginosa (Pseudomonas), Salmonella enterica (Salmonella), Staphylococcus aureus (Staph) and Escherichia coli in 2 minutes when applied by sprayer to hard, non-porous surfaces.

⁷ Kills 99.9% of SARS-Related Coronavirus 2 on hard, non-porous surfaces in 1 minute.

¹⁶ Kills 99.9% of Klebsiella aerogenes and Staphylococcus aureus (Staph) on hard, non-porous, non-food contact surfaces in 1 minute.